


Edition 1

OCTEVE CABLES (GLOBAL)

Terra



OCTEVE CABLES (GLOBAL)

Industrial



Table of Contents

| Description | Octeve Code | Voltage Level | Page |
|---|-------------|---------------|------|
| SWITCHBOARD/PANEL WIRE | | | |
| Single Insulated LSHF | SI | 0.6/1kV | 5 |
| Single Insulated RUBBER | NI | 0.6/1kV | 6 |
| Tri-Rated RUBBER, UL Approved | UK | 0.6/1kV | 7 |
| SDI RUBBER | FX | 0.6/1kV | 8 |
| SDI X-110 RUBBER | NX | 0.6/1kV | 9 |
| SDI X-110 LSHF | EX | 0.6/1kV | 10 |
| SDI RUBBER | MV | 1.9/3.3kV | 11 |
| BUILDING AND INSTRUMENTATION (FIXED WIRING) | | | |
| Flexible SDI | BF | 0.6/1kV | 13 |
| Flexible Multicore | | | 14 |
| Flexible Control | | | 15 |
| SDI X-110 RUBBER | BM | 0.6/1kV | 16 |
| Multicore X-110 RUBBER | | | 17 |
| Control X-110 RUBBER | | | 18 |
| SDI X-110 LSHF | BL | 0.6/1kV | 19 |
| Control X-110 LSHF | | | 20 |
| Multicore X-110 LSHF | | | 21 |
| Fire-rated SDI LSHF | FS | 0.6/1kV | 23 |
| Fire-rated Control LSHF | | | 24 |
| Fire-rated Multicore LSHF | | | 25 |
| Fire-rated Collective Screened Instrumentation LSHF | FH | 450/750V | 27 |
| Fire-rated Control & Alarm LSHF | FA | 450/750V | 29 |

Table of Contents

| Description | Octeve Code | Voltage Level | Page |
|---|-------------|---------------|------|
| VARIABLE SPEED DRIVES/EMC | | | |
| Collective screened Control, Braided | PD | 0.6/1kV | 32 |
| Collective Screened Multicore, Braided | | | 33 |
| Collective Screened SDI, Braided | XD | 0.6/1kV | 35 |
| Collective Screened VSD/VFD, Braided | | | 36 |
| Collective Screened SDI RUBBER, Braided | RD | 0.6/1kV | 37 |
| Collective Screened VSD/VFD RUBBER, Braided | | | 38 |
| Collective Screened SDI LSHF, Braided | ED | 0.6/1kV | 39 |
| Collective Screened VSD/VFD LSHF, Braided | | | 40 |
| Collective Screened Multicore, Braided/Armoured | KD | 0.6/1kV | 41 |
| INSTRUMENTATION | | | |
| Collective Screened RUBBER | IT | 450/750V | 45 |
| Individual Screened RUBBER | IG | 450/750V | 47 |
| Collective Screened RUBBER, Braided | IC | 450/750V | 49 |
| Individual Screened RUBBER, Braided | II | 450/750V | 51 |
| ARMOURED CABLES | | | |
| AWA SDI | AA | 0.6/1kV | 55 |
| SWA Control | | | 56 |
| SWA Multicore | | | 57 |
| AWA SDI RUBBER | AR | 0.6/1kV | 59 |
| SWA Control RUBBER | | | 60 |
| SWA Multicore RUBBER | | | 61 |
| SWA Collective Screened Multicore | AO | 0.6/1kV | 63 |
| SWA Collective Screened Control | | | 64 |
| SWA Multicore LSHF | AL | 0.6/1kV | 65 |
| AWA SDI LSHF | | | 67 |
| SWA VSD/VFD RUBBER | AV | 0.6/1kV | 68 |
| SWA Collective Screened Instrumentation | AI | 450/750V | 69 |
| SWA Individual Screened Instrumentation | AC | 450/750V | 71 |

Table of Contents

| Description | Octeve Code | Voltage Level | Page |
|---------------------------------------|-------------|---------------|------|
| SUBMERSIBLE | | | |
| Submersible Multicore RUBBER, Braided | SM | 0.6/1kV | 75 |
| Submersible SDI RUBBER | SS | 0.6/1kV | 76 |
| Submersible Multicore RUBBER | | | 77 |
| Submersible SDI Potable Water LSHF | SW | 0.6/1kV | 79 |
| TELECOMMUNICATIONS | | | |
| Premium Flexible SDI RUBBER | TC | 0.6/1kV | 81 |
| Twin SDI RUBBER | TT | 0.6/1kV | 82 |
| SDI RUBBER | TR | 0.6/1kV | 83 |
| Twin SDI LSHF | TS | 0.6/1kV | 84 |
| Premium SDI LSHF | TP | 0.6/1kV | 85 |
| HEAVY DUTY (Flexible Wiring) | | | |
| Heavy-Duty Flexible Multicore RUBBER | HE | 0.6/1kV | 87 |
| Heavy-Duty Flexible SDI RUBBER | | | 89 |
| WELDING | | | |
| Premium Flexible Welding SDI RUBBER | WE | 0.6/1kV | 91 |
| Flexible Welding SDI PVC | WF | 0.6/1kV | 92 |
| Welding SDI | WH | 750V | 93 |

Table of Contents

| Technical Information | Page |
|---------------------------------|------|
| Low Smoke Halogen Free (LSHF) | 95 |
| Product Coding | 96 |
| Conductor Stranding | 97 |
| IEC Specifications | 98 |
| Flame & Fire Testing | 99 |
| Conductor Data & Current Rating | 100 |
| Industry Cable Designations | 101 |
| Drum Handling Do's & Don'ts | 102 |